

Technical Evaluation Report of Drug / Medicines items For Teaching Hospital, D.G. Khan For the Financial Year 2022-23

Name of Firms	Compulsory Criteria								Marking Criteria(Passing Marks 60%)											Status Pass/Fail	Remarks
	C DR	Tender Receipt	Drug Manf LSC/Drug Sale LSC (Y/N)	Agency Agreement (Y/N)	Drug Registration (Y/N)	Specification/clinical opinion by end user	Affidavit (Y/N)	Status Pass/Fail	Manufacturer				Sole Agent								
									Active Pharma Ingrid (20)	Financial Capacity (20)	Experience of Product (20)	Marks Obtained	Bidder Manufctr Relation (20)	Local Market Business (25)	Compliance of Quality Standard (20)	Intl Testing (15)	Experience of Product (20)	Marks Obtained			
General Key for Abbreviations	N.app = Not Applicable	NA = Not Attached	N = No	NR = Not Related	Y = Yes	EXP = Expired	NAS = Not According Specification	NARC = Not According to Required Criteria													
M/S MTI Medical																					
8 Inj. Ondansetron (HCl), 2mg/ml, 4ml	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL		
13 Inj. Omeprazole, 40mg	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL		
15 Cap. Omeprazole, 40mg	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL		
59 Inj. Nor-Adrenaline 1mg/ml, 4ml	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL		
61 Inj. Dopamine HCl, 200mg/5ml	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL		
62 Inj. Dobutamine HCl, 250mg/5ml	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL		
122 Inj. Cefuroxime, 750mg	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL		
127 Inj. Ceftriaxone, 1g with Distilled Water	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL		
131 Inj. Piperacillin 4g + Tazobactam 0.5g	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL		
132 Inj. Vancomycin, 500mg	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL		
133 Inj. Teicoplanin, 200mg	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL		
134 Inj. Tigecycline, 50mg	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL		
144 Inj. Meropenem, 500mg	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL		
145 Inj. Meropenem, 1g	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL		
203 Inj. Rocuronium Bromide, 50mg/5ml	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL		

for quoted item.

71		Tab. Trametamol 30mg/ml	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL	
M/S Himont Pharmaceuticals																						
72		Tab. Losatan Potassium, 50mg	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL	
54		Tab. Amlodipine, 5mg	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL	
72		Inj. Enoxaprin, 40mg	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL	
73		Inj. Enoxaprin, 60mg	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL	
76		Tab. Clopidogrel, 75mg	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL	
80		Tab. Rosuvastatin, 10mg	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL	
127		Inj. Ceftriaxone, 1g with Distilled Water	Y	Y	Y	N.app	Y = Yes		Y	Pass	10	10	13	33							FAIL	

DR. SAJID HAMEED ANSARI
PROFESSOR OF SURGERY
D.G. KHAN MEDICAL COLLEGE D.G. KHAN

DR. ROOH UL AMIN KHOSA
ASSISTANT PROFESSOR MEDICINE
D.G. KHAN MEDICAL COLLEGE D.G. KHAN

DR. FAISAL MEHBOOB
PHARMACIST
TEACHING HOSPITAL D.G. KHAN

DR. HAFIZ FARRUKH HUSSAIN NIAZI
PHARMACIST
TEACHING HOSPITAL D.G. KHAN

DR. ZAHID IQBAL
ASSISTANT PROFESSOR CARDIOLOGY (DGKMC)
SARDAR FATEH MUHAMMAD INSTITUTE OF CARDIOLOGY D.G. KHAN
(END USER)

MR. NAYAT ULLAH AHMIDANI
SENIOR ACCOUNTANT
D.G. KHAN MEDICAL COLLEGE/TEACHING HOSPITAL D.G. KHAN

PROF. DR. SHAKEEL AHMAD LEGHARI
PROFESSOR OF PEADS MEDICINE
D.G. KHAN MEDICAL COLLEGE D.G. KHAN
(SENIOR TECHNICAL OFFICER)

BID EVALUATION CRITERIA FOR THE PURPOSE OF SURGICAL ITEMS (FOR LOCAL MANUFACTURER AND SOLE AGENT)

M/S Popular International

Sr. No.	Parameters	Documents
	Description	Sr no. 44, 64, 216, 257, 258, 259, 262, 263, 264, 265, 268, 269, 271, 286
1..	Computerize National Identification Card (CNIC) of CEO of the firm	Yes
2.	NTN And STRN	Yes
3.	The Bidder must be enlisted on the active Tax Payer List (ATL) available on Federal Board of revenue (FBR) website.	Yes
4.	The firm undertakes that currently it is not blacklisted/debarred by any procuring agency.	Yes
5.	Quoted Product should not have less than one year of local market experience.	Yes
6.	Specification quoted in the technical offer will be verified from samples provided which the Bid product that the comply 100% with the Advertised specification and fulfil the requirement as per labelling will be considered for evaluation	Yes <i>As Attach</i>
7.	CE-MDD/USFDA/JP MHLW/ISO-10993 for medical device.	Acon= Yes Covidiene= No Poly Suture Industria Brasil= No
8.	Valid Sole Agency certificate /agreement/ authorization for quoted item.	Acon= Yes Covidiene= No (Non exclusive distribution agreement by Covidiene Switzerland.) Poly Suture Industria Brasil=No
9.	Valid free sale certificate quoted brand from the country of manufacturer.	Yes
10.	The bidder will undertake that the Good Distribution and	No

	storage practices followed.	
11.	Valid license to import medicine device (sole agent) and license to manufactured medicine device (for manufacturer)	Yes
12.	Valid medicine device registration certificate	Yes
13.	Status	Not Eligible

M/S UDL DISTRIBUTION PVT LTD.

Sr. No.	Parameters	Documents
	Description	Sr no. 1, 2, 23, 24, 225, 237, 238, 296, 322, 323
1.	Computerize National Identification Card (CNIC) of CEO of the firm	Yes
2.	NTN And STRN	Yes
3.	The Bidder must be enlisted on the active Tax Payer List (ATL) available on Federal Board of revenue (FBR) website.	Yes
4.	The firm undertakes that currently it is not blacklisted/debarred by any procuring agency.	Yes
5.	Quoted Product should not have less than one year of local market experience.	Yes
6.	Specification quoted in the technical offer will be verified from samples provided which the Bid product that the comply 100% with the Advertised specification and fulfil the requirement as per labelling will be considered for evaluation	Yes <i>As Attached</i>
7.	CE-MDD/USFDA/JP MHLW/ISO-10993 for medical device.	Teleflex=Yes Arrow International=Yes
8.	Valid Sole Agency certificate /agreement/ authorization for quoted item.	Teleflex=Yes Arrow International=No
9.	Valid free sale certificate quoted brand from the country of manufacturer.	Yes
10.	The bidder will undertake that the Good Distribution and storage practices followed.	No

11.	Valid license to import medicine device (sole agent) and license to manufactured medicine device (for manufacturer)	Yes
12.	Valid medicine device registration certificate	Yes
13.	Status	Not Eligible

M/S FLOWTRONIX SYSTEM

Sr. No.	Parameters	Documents
	Description	Sr no. 23, 24, 151, 152, 153, 154, 155, 156, 214, 219, 225, 233, 234, 249, 251, 275, 276, 277, 280, 287, 294, 301, 305, 306, 308, 309, 310, 314, 320, 321, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 344, 345, 346, 348, 350, 351, 352, 354, 355, 357, 358, 360, 362, 363, 364, 366
1..	Computerize National Identification Card (CNIC) of CEO of the firm	Yes
2.	NTN And STRN	Yes
3.	The Bidder must be enlisted on the active Tax Payer List (ATL) available on Federal Board of revenue (FBR) website.	Yes
4.	The firm undertakes that currently it is not blacklisted/debarred by any procuring agency.	Yes
5.	Quoted Product should not have less than one year of local market experience.	Yes
6.	Specification quoted in the technical offer will be verified from samples provided which the Bid product that the comply 100% with the Advertised specification and fulfill the requirement as per labelling will be considered for	Sample not provided

7.	<p>evaluation</p> <p>CE-MDD/USFDA/JP MHLW/ISO-10993 for medical device.</p>	<p>Sr no. 23, 24, 151, 152, 153, 154, 155, 156, 214, 219, 225, 233, 234, 275, 276, 277, 301, 305, 306, 308, 309, 314, 327, 330, 331, 332, 333, 334, 336, 338, 339, 340, 341, 344, 345, 346, 357, 358, 360, 362, 363, 364, 366 = Yes</p> <p>Sr no. 249, 2561, 280, 287, 294, 310, 320, 321, 325, 326, 328, 335, 337, 342, 348, 350, 351, 352, 354, 355 = No</p>
8.	<p>Valid Sole Agency certificate /agreement/ authorization for quoted item.</p>	<p>Sr no. 23, 24, 151, 152, 153, 154, 155, 156, 225, 233, 234, 305, 306, 308, 309, 320, 321, 327, 329, 330, 331, 332, 333, 334, 336, 337, 338, 339, 340, 341, 344, 345, 346, 357, 358, 360, 362, 363, 364, 366 = Yes</p> <p>Sr no. 214, 219, 249, 251, 275, 276, 277, 280, 287, 294, 301, 310, 320, 325, 326, 328, 335, 342, 348, 350, 351, 352, 354, 355 = No</p>
9.	<p>Valid free sale certificate quoted brand from the country of manufacturer.</p>	<p>Sr no. 23, 24, 151, 152, 153, 154, 155, 156, 225, 233, 234, 275, 276, 277, 301, 329, 330, 331, 333 = Yes</p> <p>Sr no. 214, 219, 249, 251, 280, 287, 294, 305, 306, 308, 309, 310, 314, 320, 321, 325, 326, 327, 328, 332, 334, 335, 336, 337, 338, 339, 340, 341, 342, 344,</p>

		345, 346, 348, 350, 351, 352, 354, 355, 357, 358, 360, 362, 363, 364, 366= No
NN	The bidder will undertake that the Good Distribution and storage practices followed.	Yes
11.	Valid license to import medicine device (sole agent) and license to manufactured medicine device (for manufacturer)	Yes
12.	Valid medicine device registration certificate	<p>Sr no. 23, 24, 151, 152, 153, 154, 155, 156, 214, 233, 234, 275, 276, 277, 280, 287, 294, 301, 305, 306, 308, 309, 314, 320, 321, 327, 328, 329, 330, 331, 332, 333, 334, 336, 337, 338, 339, 340, 341, 344, 345, 346, 350, 351, 352, 357, 358, 360, 362, 363, 364, 366= Yes</p> <p>Sr no. 219, 225, 249, 251, 280, 287, 294, 310, 325, 326, 335, 342, 348, 354, 355= No</p>
13.	Status	<p>Sr no. 24, 24, 151, 152, 153, 154, 155, 156, 233, 234, 330, 331, 333= Eligible</p> <p>Sr no. 214, 219, 225, 249, 251, 275, 276, 277, 280, 287, 294, 301, 305, 306, 308, 309, 310, 314, 320, 321, 325, 326, 327, 328, 329, 332, 334, 335, 336, 337, 338, 339, 340, 341, 342, 344, 345, 346, 348, 350, 351, 352, 354, 355, 357, 358, 360, 362, 363, 364, 366= Not Eligible</p>

M/S M&P

Sr. No	Parameters	Documents
	Description	Sr no. 250,257,258,259,260,262,263,265, 266,267,268,269,271,281,282,285, 286
1..	Computerize National Identification Card (CNIC) of CEO of the firm	Yes
2.	NTN And STRN	Yes
3.	The Bidder must be enlisted on the active Tax Payer List (ATL) available on Federal Board of revenue (FBR) website.	Yes
4.	The firm undertakes that currently it is not blacklisted/debarred by any procuring agency.	Yes
5.	Quoted Product should not have less than one year of local market experience.	Yes
6.	Specification quoted in the technical offer will be verified from samples provided which the Bid product that the comply 100% with the Advertised specification and fulfil the requirement as per labelling will be considered for evaluation	Yes
7.	CE-MDD/USFDA/JP MHLW/ISO-10993 for medical device.	No
8.	Valid Sole Agency certificate /agreement/ authorization for quoted item.	No
9.	Valid free sale certificate quoted brand from the country of manufacturer.	No
10.	The bidder will undertake that the Good Distribution and storage practices followed.	No
11.	Valid license to import medicine device (sole agent) and license to manufactured medicine device (for manufacturer)	Yes

12.	Valid medicine device registration certificate	No
13.	Status	Not Eligible

M/S MEHER TRAFERS

Sr. No.	Parameters	Documents
	Description	Sr no. 8, 9, 10, 11, 19, 22, 27, 28, 38, 39, 40, 41, 42, 44
1..	Computerize National Identification Card (CNIC) of CEO of the firm	No
2.	NTN And STRN	No
3.	The Bidder must be enlisted on the active Tax Payer List (ATL) available on Federal Board of revenue (FBR) website.	No
4.	The firm undertakes that currently it is not blacklisted/debarred by any procuring agency.	No
5.	Quoted Product should not have less than one year of local market experience.	No
6.	Specification quoted in the technical offer will be verified from samples provided which the Bid product that the comply 100% with the Advertised specification and fulfil the requirement as per labelling will be considered for evaluation	Sr.No.8,9,19,22,44(not approved)
7.	CE-MDD/USFDA/JP MHLW/ISO-10993 for medical device.	No
8.	Valid Sole Agency certificate /agreement/ authorization for quoted item.	No
9.	Valid free sale certificate quoted brand from the country of manufacturer.	No
10.	The bidder will undertake that the Good Distribution and storage practices followed.	No
11.	Valid license to import medicine device (sole agent) and license to manufactured medicine device (for	No

	manufacturer)	
12.	Valid medicine device registration certificate	No
13.	Status	Not Eligible

M/S ECONOMIC HEALTHCARE

DISTRIBUTOR of Moon Enterprises NOT ELIGIBLE

Sr. No.	Parameters	Documents
	Description	Sr no. 52, 56, 57, 58, 131, 287
1..	Computerize National Identification Card (CNIC) of CEO of the firm	No
2.	NTN And STRN	No
3.	The Bidder must be enlisted on the active Tax Payer List (ATL) available on Federal Board of revenue (FBR) website.	No
4.	The firm undertakes that currently it is not blacklisted/debarred by any procuring agency.	No
5.	Quoted Product should not have less than one year of local market experience.	No
6.	Specification quoted in the technical offer will be verified from samples provided which the Bid product that the comply 100% with the Advertised specification and fulfil the requirement as per labelling will be considered for evaluation	Yes
7.	CE-MDD/USFDA/JP MHLW/ISO-10993 for medical device.	No
8.	Valid Sole Agency certificate /agreement/ authorization for quoted item.	No
9.	Valid free sale certificate quoted brand from the country of manufacturer.	No
10.	The bidder will undertake that the Good Distribution and	No

	storage practices followed.	
11.	Valid license to import medicine device (sole agent) and license to manufactured medicine device (for manufacturer)	No
12.	Valid medicine device registration certificate	No
13.	Status	Not Eligible

M/S CLARIS MEDICAL

Sr. No.	Parameters	Documents
	Description	Sr no. 97, 98
1..	Computerize National Identification Card (CNIC) of CEO of the firm	Yes
2.	NTN And STRN	Yes
3.	The Bidder must be enlisted on the active Tax Payer List (ATL) available on Federal Board of revenue (FBR) website.	Yes
4.	The firm undertakes that currently it is not blacklisted/debarred by any procuring agency.	Yes
5.	Quoted Product should not have less than one year of local market experience.	Yes
6.	Specification quoted in the technical offer will be verified from samples provided which the Bid product that the comply 100% with the Advertised specification and fulfil the requirement as per labelling will be considered for evaluation	Yes
7.	CE-MDD/USFDA/JP MHLW/ISO-10993 for medical device.	Yes
8.	Valid Sole Agency certificate /agreement/ authorization for quoted item.	Yes
9.	Valid free sale certificate quoted brand from the country of manufacturer.	Yes
10.	The bidder will undertake that the Good Distribution and	Yes

	storage practices followed.	
11.	Valid license to import medicine device (sole agent) and license to manufactured medicine device (for manufacturer)	Yes
12.	Valid medicine device registration certificate	Yes
13.	Status	Eligible

DR. SAJID HAMEED ANSARI
PROFESSOR OF SURGERY
D.G. KHAN MEDICAL COLLEGE D.G. KHAN

DR. ROOH UL AMIN KHOSA
ASSISTANT PROFESSOR MEDICINE
D.G. KHAN MEDICAL COLLEGE D.G. KHAN

DR. FAISAL MEHBOOB
PHARMACIST TEACHING HOSPITAL D.G
KHAN

DR. HAFIZ FARUKH HUSSAIN NIAZI
PHARMACIST TEACHING HOSPITAL D.G
KHAN

MR. IMAYAT ULLAH AHMDANI
SENIOR ACCOUNTANT
D.G KHAN MEDICAL COLLEGE/ TEACHING
HOSPITAL D.G KHAN

DR. ZAHID IQBAL
ASSISTANT PROFESSOR
CARDIOLOGY(DGKMC)
SARDAR FATEH MUHAMMAD INSTITUTE OF
CARDIOLOGY D.G. KHAN
(END USER)

PROF. DR. SHAKEEL AHMAD LEGHARI
PROFESSOR OF PEADS MEDICINE
D.G. KHAN MEDICAL COLLEGE D.G. KHAN
(SENIOR TECHNICAL OFFICER)