

**BID EVALUATION SHEET**  
**TECHNICAL EVALUATION REPORT FOR OTHER STORE ITEMS F.Y 2023-2024.**

SR.NO	EVALUATION PARAMETERS	M/S AL-HABIB BUSINESS LAHORE	M/S ECONOMIC HEALTH ENTERPRISES ISLAMABAD	M/S CURE INN LAHORE	M/S SAKRDU SURGICAL SUPPLIER
1	Original Receipt of Tender	Yes	Yes	Yes	Yes
2	Copy of CNIC	Yes	Yes	Yes	Yes
3	Copy of 2% CDR	Yes	Yes	Yes	Yes
4	Technical Proposal	Yes	Yes	Yes	Yes
5	Staff Details	Yes	Yes	Yes	Yes
6	Acceptance Terms & Conditions Certificate	Yes	Yes	Yes	Yes
7	Business History and experience	Yes	Yes	Yes	Yes
8	FBR Certificate	Yes	Yes	Yes	Yes
9	Audit balance sheet/ Bank Statement	Yes	Yes	Yes	Yes
10	GST	Yes	Yes	Yes	Yes
11	NTN Registration Number	4307600-9	4309741-3	7917258-3	2474206-6
12	<b>Affidavit Having Statement that:</b> 4. The firms/Distributors/Sole Agent (Name) has never been black listed on any ground since list three year. 5. Acceptance of all terms & Condition of PPRA 2014 amended till to date and given also in the bidding documents. 6. Quoted rates should not be higher than the market rate and firms (Name) will be responsible for rates higher than market rate.	Yes  No  No	Yes  Yes  Yes	Yes  No  No	Yes  Yes  Yes
	Remarks	Not Responsive	Responsive	Not Responsive	Responsive

**BID EVALUATION SHEET**  
**TECHNICAL EVALUATION REPORT FOR BEDDING CLOTHING F.Y 2023-2024.**

SR.NO	EVALUATION PARAMETERS	M/S Techno Star Enterprises Lahore	M/S zodiac Engineering Lahore
1	Original Receipt of Tender	Yes	Yes
2	Copy of CNIC	Yes	Yes
3	Copy of 2% CDR	Yes	Yes
4	Technical Proposal	Yes	Yes
5	Staff Details	Yes	Yes
6	Acceptance Terms & Conditions Certificate	Yes	Yes
7	Business History and experience	Yes	Yes
8	FBR Certificate	Yes	Yes
9	Audit balance sheet/ Bank Statement	Yes	Yes
10	GST	Yes	Yes
11	NTN Registration Number	8918061-6	3599897-7
12	<b>Affidavit Having Statement that:</b> <ol style="list-style-type: none"> <li>1. The firms/Distributors/Sole Agent (Name) has never been black listed on any ground since list three year.</li> <li>2. Acceptance of all terms &amp; Condition of PPRA 2014 amended till to date and given also in the bidding documents.</li> <li>3. Quoted rates should not be higher than the market rate and firms (Name) will be responsible for rates higher than market rate.</li> </ol>	Yes  No  No	Yes  NO  NO
	Remarks	Not Responsive	Not Responsive






**MR. INNAYAT ULLAH AHMDHANI**  
SENIOR ACCOUNTANT  
ALLAMA IQBAL TEACHING HOSPITAL D.G KHAN  
(Member)



**DR. AKHTAR ABBAS**  
DEPUTY MEDICAL SUPERINTENDENT /STORE OFFICER  
ALLAMA IQBAL TEACHING HOSPITAL D.G KHAN  
(MEMBER)



**DR. ZAHID FAREED**  
DEPUTY MEDICAL SUPERINTENDENT  
ALLAMA IQBAL TEACHING HOSPITAL D.G KHAN  
(MEMBER)



**CONCERNED STORE KEEPER**  
ALLAMA IQBAL TEACHING HOSPITAL D.G KHAN  
(END USER)



**DR. MUHAMMAD ZAFAR**  
DEPUTY MEDICAL SUPERINTENDENT  
ALLAMA IQBAL TEACHING HOSPITAL D.G KHAN  
(MEMBER)

**DR. SAIF ULLAH SAIF**  
DEPUTY MEDICAL SUPERINTENDENT  
ALLAMA IQBAL TEACHING HOSPITAL D.G KHAN  
(MEMBER)

**PROF. DR. SHAKEEL AHMAD LEGHARI**  
PROFESSOR OF PEADS MEDICINE  
D.G KHAN MEDICAL COLLEGE D.G KHAN  
(CHAIRMAN)

# SAMPLE EVALUATION REPORT OF OTHER STORE ITEMS FOR TEACHING HOSPITAL D.G.KHAN FOR THE FINANCIAL YEAR 2023-2024

No.	NAME OF ITEM	SPECIFICATION	M/S ECONOMIC HEALTH ISLAMABAD	M/S AL HABIB BUSINESS LINK D.G KHAN	M/S TECHNO STAR LAHORE	M/S CURE INN LAHORE	M/S SHARADA ELECTRICAL SUPPLY LAHORE	M/S ZAFAR ELECTRICAL SUPPLY LAHORE
<b>WASHING ITEMS</b>								
	BLEACHING POWDER	01kg BEST QUALITY	Not applied	Sample Not Provided	Not applied	Not applied	Not applied	Not applied
	MAIMA	01kg BEST QUALITY	Not applied	Sample Not Provided	Not applied	Not applied	Not applied	Not applied
	BLACK OIL		Not applied	Sample Not Provided	Not applied	Not applied	Not applied	Not applied
	WASHING SODA		Not applied	Sample Not Provided	Not applied	Not applied	Not applied	Not applied
	CAUSTIC SODA		Not applied	Sample Not Provided	Not applied	Not applied	Not applied	Not applied
	NEEL ROBIN TISSUE BOX		Not applied	Sample Not Provided	Not applied	Approved	Not applied	Not applied
	TISSUE ROLL		Sample Not Provided	Sample Not Provided	Not applied	Approved	Not applied	Not applied
	SOUP	115gm	Not applied	Sample Not Provided	Not applied	Approved	Not applied	Not applied
<b>ELECTRIC ITEMS</b>								
	LIGHT 100W		Not applied	Not applied	Not applied	Not applied	Not applied	Approved
	CAPISTER 3.5UF		Not applied	Not applied	Not applied	Not applied	Not applied	Approved
	SHOO 30A		Not applied	Not applied	Not applied	Not applied	Not applied	Approved
	SINGLE BREAKER 30A		Not applied	Not applied	Not applied	Not applied	Not applied	Approved
	DIMMER		Not applied	Not applied	Not applied	Not applied	Not applied	Approved
	EXTENSION LEAD		Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Approved
	AUTOClave ROD 6000W	BEST QUALITY	Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
	BOILER ROD		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
	WIRE 3/29	Single	Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
	WIRE 7/29	Single	Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
	WIRE 7/44	Single	Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
	WIRE 7/52	Double	Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
	LED BULB	24W	Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
	POWER PLUG		Not applied	Not applied	Not applied	Not applied	Not applied	Approved
	LED BULB	45W	Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
	SWITCH PIANO		Not applied	Not applied	Not applied	Not applied	Not applied	Approved
	PLUG PIANO		Not applied	Not applied	Not applied	Not applied	Not applied	Approved
	THREE PIN SHOO		Not applied	Not applied	Not applied	Not applied	Not applied	Approved

L

22



	THREE PIN PLUG		Not applied	Not applied	Not applied	Not applied	Not applied	Approved
	TWO PIN SHOO		Not applied	Not applied	Not applied	Not applied	Not applied	Approved
	HOLDER CHORII		Not applied	Not applied	Not applied	Not applied	Not applied	Approved
5	SOLUTION TAPE		Not applied	Not applied	Not applied	Not applied	Not applied	Approved
26	CHANGE OVER 100A		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
27	BREAKER 100A		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
28	BREAKER 200A		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
29	IRON CONNECTOR		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
30	MAIN SWITCH		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
31	LED LIGHT 3"		Not applied	Not applied	Not applied	Not applied	Not applied	Approved
32	LED LIGHT 4"		Not applied	Not applied	Not applied	Not applied	Not applied	Approved
33	LED LIGHT 5"		Not applied	Not applied	Not applied	Not applied	Not applied	Approved
34	BREAKER 63 AMP		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
35	MAIN BREAKER 100 AMP		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
36	MAIN BREAKER 60 AMP		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
37	MAIN BREAKER 10 AMP		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
38	BREAKER 30 AMP		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
39	BRACKET FAN			Not applied	Not applied	Not applied	Not applied	Not applied
<b>PLUMBER ITEMS</b>								
01	GI SOCKET ½		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
02	PVC SOCKET 3"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
03	PVC SOCKET 4"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
04	PVC SOCKET ¾		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
05	GI SOCKET ¾		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
06	GI SOCKET 1"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
07	SOCKET ¾ CHORI WHITE		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
08	PVC SOCKET 2" WHITE		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
09	GI SOCKET ¾		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
10	PPRC SOCKET 25		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
11	PPRC SOCKET 25X ½		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
12	PPRC SOCKET 25X ¾		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
13	PPRC SOCKET 32		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
14	PPRC SOCKET 32X25		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
15	GI ELBOW 1"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
16	GI ELBOW ¾		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
17	PVC ELBOW 4"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
18	PVC ELBOW 3"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied

L 92



	PVC ELBOW 2"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
	PVC ELBOW ¾" WHITE		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
	PVC ELBOW 1" WHITE		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
	GI ELBOW ¾"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
	PPRC ELBOW 25		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
24	PPRC ELBOW 25X ¾		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
25	PPRC ELBOW 32		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
26	PPRC ELBOW 25X32		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
27	GI ELBOW 1/2		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
28	PVC ELBOW ¾ WHITE		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
29	GI ELBOW ½ X ¾		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
30	PVC T 4"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
31	PVC T 1"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
32	PVC T 3"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
33	PVC T ¾" WHITE		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
34	GI T 1" WHITE		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
35	GI T ¾"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
36	PPRC T 25		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
37	PPRC T 32X25		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
38	PPRC T 32		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
39	GI T ½ X ¾		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
40	GI UNION ½		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
41	GI UNION ¾		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
42	GI UNION 1"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
43	GI UNION 1.5		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
44	PPRC UNION 32		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
45	PPRC UNION 25		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
46	WASH BASIN WITH PEDISTAL		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
47	LEED CONNECTION		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
48	COMODE 1 PECE		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
49	PPRC OVER CROS 32		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
50	PPRC OVER CROS 25		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
51	SOLUTION TAPE		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
52	PVC PIPE 2"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
53	PVC PIPE 3"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
54	PVC PIPE 4"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied



	PVC PIPE ½		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
	PVC PIPE ¾		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
	PIPE 1/2		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
	PPRC PIPE 25		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
	PPRC PIPE 32		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
	PVG PIPE 1"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
61	PVC PIPE ½"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
62	BIB COCK		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
63	DOUBLE BIB COCK		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
64	PILLER COCK		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
65	RUBBER CONNECTION		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
66	SIDE PILLER COCK		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
67	MUSLIM SHOWER		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
68	CP NIPLE		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
69	THREAD		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
70	WASTE COMPLAIN		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
71	WASTE PIPE		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
72	TANKI POINT		Not applied	Not applied	Not Approved	Not applied	Not applied	Not applied
73	COMODE SET		Not applied	Not applied	Not Approved	Not applied	Not applied	Not applied
74	FLUSH TANKI		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
75	HANDLE WALL 1"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
76	PVC WHITE PIPE 2"		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
77	HOCKEY PIPE		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
78	BALL WALL 2" WHITE		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
79	BALL WALL 1"X ¾		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
80	BALL WALL 3"		Not applied	Not applied	Not Approved	Not applied	Not applied	Not applied
81	BALL WALL 4"		Not applied	Not applied	Not Approved	Not applied	Not applied	Not applied
82	BATHROOM MIRROR		Not applied	Not applied	Approved	Not applied	Not applied	Not applied
83	T COCK		Not applied	Not applied	Approved	Not applied	Not applied	Not applied

#### SURGICAL ITEMS

01	FLOW METER		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
02	REGULATOR		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
03	PULSE OXIMETER		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
04	DOUBLE FLOW METER T		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
05	ECG GELL		Not applied	Not applied	Not applied	Not applied	Approved	Not applied
06	KIDNEY TRAY SMALL		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
07	KIDNEY TRAY MEDIUM		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied



	KIDNEY TRAY LARGE		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
	INSTRUMENT TRAY SMALL		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
	INSTRUMENT TRAY MEDIUM		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
	INSTRUMENT LARGE		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
	SPRIT JAR SMALL		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
	SPRIT JAR MEDIUM		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
4	SPRIT JAR LARGE		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
15	NEBULIZER		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
16	DRESSING DRUM SMALL		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
17	DRESSING DRUM MEDIUM		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
18	DRESSING DRUM LARGE		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
19	DOUBLE REGULATOR NEUTRUOS		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
20	AUTOClave DOOR SEAL		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
21	AUTOClave SEAL		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
22	ECG ROLL 50MM		Not applied	Not applied	Not applied	Not applied	Approved	Not applied
23	ECG ROLL 63MM		Not applied	Not applied	Not applied	Not applied	Approved	Not applied
24	ECG ROLL 80MM		Not applied	Not applied	Not applied	Not applied	Approved	Not applied
25	ECG ROLL 110X140MM		Not applied	Not applied	Not applied	Not applied	Approved	Not applied
26	B.P APPARATUS DIAL		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
27	PARDA SCREEN		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
28	WHEEL CHAIR		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
29	Stretcher		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
30	LARYNGOSCOPE 4 BLADE	ADULT	Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
31	LARYNGOSCOPE 4 BLADE	PEADS	Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
32	WEIGHT MACHINE		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
33	BABY WEIGHT MACHINE		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
34	LAMINATION SHEET 4*8		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
35	EARTH PLATE STEEL		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied
36	SODA LIME		Not applied	Not applied	Not applied	Not applied	Not applied	Not applied

#### GENERAL ITEMS

1.	GASS CYLINDER R410		Sample Not Provided	Not applied	Not applied		Not applied	Not applied
2.	AC CAPISTER 50UF		Sample Not Provided	Not applied	Not applied	Approved	Not applied	Not applied
3.	COPPER PIPE 1 ½ TON		Sample Not	Not applied	Not applied	Not applied	Not applied	Not applied

*[Handwritten signature]*



EVALUATION SHEET  
REPORT FOR OTHER BEDDING CLOSURE

EVALUATION PARAMETERS		Original Record	M/S				
2							
3							
5.	COPPER PIPE 1 TON	Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
6.	AC MOTER OUTDOOR	Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
7.	AC MOTER INDOOR	Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
8.	OVER FLOW PIPE	Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
9.	AC FOAM	Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
10.	AC TEFLON TAPE	Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
11.	THERMOMETER	Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
12.	FRIDGE THERMOMETER	Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
13.	CELL SMALL	Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
14.	CELL MEDIUM	Sample Not Provided	Not applied	Not applied	Approved	Not applied	Not applied
15.	CELL LARGE	Sample Not Provided	Not applied	Not applied	Approved	Not applied	Not applied
16.	RANCH 12"	Sample Not Provided	Not applied	Not applied	Approved	Not applied	Not applied
17.	KEY	Sample Not Provided	Not applied	Not applied	Approved	Not applied	Not applied
18.	SHOES 8NO,9NO,10NO,11NO	Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
19.	PARIS	Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
20.	CHONA	Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
21.	RANG RED	Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
22.	LOCK 1 1/2"	Sample Not Provided	Not applied	Not applied	Approved	Not applied	Not applied
23.	LOCK 2"	Sample Not Provided	Not applied	Not applied	Approved	Not applied	Not applied


*[Handwritten signature]*


	LOCK 3"		Provided					
24.	EXAMINATION COUCH		Sample Not Provided	Not applied	Not applied	Approved	Not applied	Not applied
25.	WIRE LOCK		Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
26.	PIPE PARDA		Sample Not Provided	Not applied	Not applied	Approved	Not applied	Not applied
27.	BRACKET PARDA		Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
28.	GLOB PARDA		Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
29.	PAITCH 1 ½		Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
30.	PAITCH 2"		Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
31.	RAWAL PLUG		Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
32.	SEGREGATION SET		Sample Not Provided	Not applied	Not applied	Approved	Not applied	Not applied
33.	60 LTRS DUST BIN		Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
34.	STETHOSCOPE		Sample Not Provided	Not applied	Not applied	Approved	Not applied	Not applied
35.	INSTRUMENT TROLLEY WITH DARAZ		Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
36.	ALMERAH IRON		Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
37.	FILE CABENET		Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
38.	TORCH (RECHARGE ABLE)	Large Size	Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
39.	MEDICINE CRUSH TROLLY		Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
40.	SYRINGE CUTTER	STEEL	Sample Not Provided	Not applied	Not applied	Approved	Not applied	Not applied
41.	AMBO BAG		Sample Not	Not applied	Not applied	Not applied	Not applied	Not applied


*[Handwritten signature]*



DISPENSER BOTTLES		Provided					
43.	WATER COOLER 30LTR,40LTRS	Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
44.	GLASS SET	Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
45.	THERMOSE	Sample Not Provided	Not applied	Not applied	Approved	Not applied	Not applied
46.	TEA SET	Sample Not Provided	Not applied	Not applied	Approved	Not applied	Not applied
47.	IV STAND	Sample Not Provided	Not applied	Not applied	Approved	Not applied	Not applied
48.	LAR 1-1/2*2	5 LEGS Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
49.	GLUE 1KG	Wooden Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
50.	BRACKET AC	Sample Not Provided	Not applied	Not applied	Approved	Not applied	Not applied
51.	PATIENT SHIFTING TROLLEY	Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
52.	AUTOCLAVE DOUBLE CHAMBER	16X36 Sample Not Provided	Not applied	Not applied	Not applied	Not applied	Not applied
53.	Water Dispenser	3 in 1 Sample Not Provided	Not applied	Not applied	Approved	Not applied	Not applied

  
**CONCERNED STORE KEEPER**  
 ALLAMA IQBAL TEACHING HOSPITAL D.G KHAN

  
**DR. AKHTAR ABBAS**  
 DMS/STORE OFFICER  
 ALLAMA IQBAL TEACHING HOSPITAL D.G KHAN

  
**DR. HAFIZ ULLAH LUND**  
 ADDITIONAL MEDICAL SUPERINTENDENT  
 ALLAMA IQBAL TEACHING HOSPITAL D.G KHAN